
CPI Electron Device Business RF Power Transmitter



CPI Electron Device Business' VSX-3696ON is an air-cooled 1.0 kW X-band solid-state transmitter optimized for pulsed radars.

X-band solid-state power transmitters are efficient, high-power, and compact with proven GaN transistor technology..

CPI EDB's VSX3696ON solid-state power amplifier is rugged, reliable designed for airborne applications. The VSX3696ON solid-state transmitter is designed for use in radar applications and covers the 9.1 – 10.0 GHz frequency band.

Optimized for Pulsed Radars

This amplifier utilizes GaN transistors to provide high gain, high efficiency and excellent pulse fidelity. The result is excellent AM/PM, phase-noise and spectral regrowth performance.



FEATURES:

- Frequency band: 9.1 10.0 GHz
- High efficiency GaN transistors
- Ethernet BIT and controls
- 1000 W pulsed module @ 10% duty


BENEFITS:

- Long life
- High efficiency
- Excellent pulse fidelity
- Low phase noise

APPLICATIONS

- Pulsed radars
- Airborne radars
- TWTA replacements








CPI EDB X-Band RF Transmitter: VSX3696ON

Specifications	
Frequency Range	9.0 to 10.0 GHz
Saturated Peak RF Output	1.0 kW
Typical Pulse Width	5 to 100 μsec
Maximum Duty Cycle	10%
Output Power Flatness	+/-1 dB
Nominal Input Power	3 +/-2 dBm
Maximum Input VSWR	2.0:1
Maximum Output VSWR	2.0:1
Maximum Harmonic Output	-35 dBc

Maximum Spurious Output -50 dBc

Specifications	
Prime Power	208 VAC Three Phase 400 Hz, 3 amp max per phase
Ambient Temperature	-30°C to +50°C operating
Relative Humidity	90% non-condensing
Shock and Vibration	Ruggedized for harsh environments
Cooling	Air-cooled
RF Input Connection	SMA female
RF Output Connection	WR 90
Mechanical See outline drawing	





Beverly MicrowavetelDivisionemail150 Sohier RoadfaxBeverly, MassachusettswebUSA 01915

tel +1 978-922-6000 email BMDMarketing@cpii.com fax +1 978-922-8914 web www.cpii.com

For more detailed information, please refer to the corresponding CPI technical description if one has been published, or contact CPI. Specifications may change without notice as a result of additional data or product refinement. Please contact CPI before using this information for system design.

©2024 Communications & Power Industries LLC. Company proprietary: use and reproduction is strictly prohibited without written authorization from CPI.